



FIG. 2








FIG. 5

602

604

Configure Profiles

606 608 610 612

614

NAME	Mobile Addr	HV Addr	Req Profile	Req	MNEHA	MNEHA
sallym@lucent.com	135.180.132.14	135.180.132.2	600's	<input checked="" type="checkbox"/>	1000	Shared sec
girlsh@lucent.com	135.180.132.7	135.180.132.2	300's	<input checked="" type="checkbox"/>	1000	Shared sec
girlsh@ngn.lucent.com	192.168.45.36	192.168.45.35	300's	<input checked="" type="checkbox"/>	1000	Shared sec
test1@lucent.com	135.180.240.50	135.180.240.60	3000's	<input type="checkbox"/>	1000	Shared sec
leecy@lucent.com	204.178.25.182	204.178.25.177	3000's	<input checked="" type="checkbox"/>	1000	Shared sec
test12@lucent.com	204.178.25.179	204.178.25.177	3000's	<input checked="" type="checkbox"/>	1000	Shared sec
mip1@lucent.com	10.1.3.196	10.1.3.180	3000's	<input checked="" type="checkbox"/>	1000	Shared sec

Details
Add
Delete
Save
Cancel

FIG. 6

600

700

702 704 706 708 710 712 714 716 718 720

Configure Profiles

Profile Details

NAME: gishc@lucent.com Reg. Lifetime: 300 sec. 708 710 ☐ Use reverse tunneling

Mobile IP Address: ☒ 135 180 132 7 706
☐ Home Agent Address: ☒ 135 180 132 2
☐ Foreign located address: ☐ Foreign located address

Home Agent Address: ☒ 135 180 132 2
☐ Home Agent Address: ☐ Foreign located address: ☐ Foreign located address

Home Agent Security Associations (MN/HA)

SPI	Key	Replay	Alg Mode
<u>1000</u>	<u>11111111111111111111</u>	<input checked="" type="radio"/> None	<u>MP5Prf+Suit</u>
<u>1001</u>	<u>11111111111111111111</u>	<input checked="" type="radio"/> Timestamp	<u>MP5Prf+Suit</u>
<u>1002</u>	<u>11111111111111111111</u>	<input checked="" type="radio"/> Nonces	<u>MP5Prf+Suit</u>

VPN Setup: 1802111 Setup 718 720

Home Network Settings: ☒ Obtain using DNS
Default Gateway: 135 180 132 1 128
DNS Server: 135 180 132 160 197

AAA Security Association (MN/AAA)

☒ Shared secret: AAKEYAAKEY
☐ Password (from log in script)
☐ SecurID

Buttons: Set Cancel

FIG. 7

900

Configure Interfaces

Interface Details

Type: 902 11b 904

Device: 86-A61-BDFE-S080FE30F5B1 906

Desc: Toshiba Wireless LAN Mini PCI Card - Packet Sched 910

Priority: 0 1 2 3 4 5 6 7 8 9 10 908

ESSID: 914

Goldc Mode: Autom 912

ESSID File: Browse

Set Cancel

FIG. 9

800

VPN Parameter Setup

Connection Name: VPN101A-HOLMDEL 804

VPN Gateway: 192.1.1.222.50 806

User ID: glrshc 808

Group Key: 810

VPN Client Exe: lucentipsecclnt.exe

OK Cancel

FIG. 8

1002 { 1004 { 1006 { 1008 { 1010 {

Wavelan ESSID Configuration Screen					X
ESSID	WEP Key	Key Index	Threshold	Priority	
NEUTRON	secu3	2	20	2	
ELECTRON	secu3	2	20	2	

1000

1000

FIG. 10




FIG. 11